INDEX
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 78, 2005
AUTHOR INDEX

Abraham, Elizabeth K.; Ramesh, P.; Joseph, R.; Mohanan, P.V.; Remakumari, V.M.: Release of dithiocarbamates into sweat from natural rubber latex surgical gloves (4) 674
Ahagon, Asahiro, see Kawakubo, Makoto: (4) 659
Ahagon, Asahiro, see Kawakuro, Makoto: (4) 644
Ahmadio, S., see Zohuri, G.H.: (4) 682
Ansarifar, A.; Ibraham, N.; Bennett, M.;: Reinforcement of natural rubber with silanized precipitated silica nanofiller (5) 793
Aprem, Abi Santhosh; Joseph, Kurauvilla; Thomas, Sabu: Recent developments in crosslinking of elastomers (3) 458

Baldwin, John M.; Bauer, David R.; Hurley, Paul D.: Field aging of tires, Part II (5) 754
Baldwin, John M.; Bauer, David R.; Ellwood, Kevin R.: Accelerated aging of tires. Part II (2) 336
Baldwin, John M.; Bauer, David R.; Ellwood, Kevin R.: Accelerated aging of tires, part III (5) 761
Baldwin, John M.; see Bauer, David R.: (5) 777
Bandyopadhyay, Abhijit; Sarkar, Mousumi De; Bhowmick, Anil K.: Rheological behavior of hybrid rubber nanocomposites (5) 806
Barry, Carol, see Tao, Zhenghong: (3) 489
Bauer, David R., see Baldwin, John M.: (2) 336; (5) 754; (5) 561
Bauer, David R.; Baldwin, John M.; Ellwood, Kevin R.: Correlation of rubber properties between field aged tires and laboratory aged tires (5) 777
Becker, Eric B., see Özüpek, Sebnem: (4) 557
Bennett, M., see Ansarifar, A.: (5) 793
Beyer, Frederick L., see Klinedinst, Derek B.: (5) 737
Bhowmick, Anil K., see Sadhu, Susmita: (2) 321
Bhowmick, Anil K., see Nayek, Suprakash: (4) 705
Bhowmick, Anil K., see Bandyopadhyay, Abhijit: (5) 806
Bhowmick, Anil K., see Patel, J.D.: (5) 893
Bokobza, L., see Clément, F.: (2) 211; (2) 232

Chandra, Arup K., see Nayek, Suprakash: (4) 705
Chávez, A.E., see Vargas. M.A.: (4) 620
Chen, Chunming, see Xiong, Chuanaxi: (4) 588
Chen, J., see Tao, Z.: (2) 199
Clément, F.; Bokobza, L.; Monnerie, L.: Investigation of the Payne Effect and its temperature dependence on silica-filled polydimethylsiloxane networks: Part I: Experimental results (2) 211
Clément, F.; Bokobza, L.; Monnerie L.: Investigation of the Payne Effect and its temperature dependence on silica-filled polydimethylsiloxane networks. Part II: Test of quantitative models (2) 232
Coolbaugh, Thomas S., see Patil, Abhimanyu O.: (3) 516

Danes, Florin, Garnier, Bertrans: Improved differential scanning calorimetric measurement method for the small reaction heat capacities (1) 114
Datta, Rabin D., see Heideman, Geert: (2) 245
Dechojarassri, Duangkamol,, see Pattamaprom, Cattaleeya: (4) 724
Dierkes, W. K., see Rajan, V.V.: (4) 572; (5) 855
Doi, Mitch, see Yamauchi, Michael T.: (1) 105
Dong, Yi, see Xiu, Yong: (5) 879
Donnet, J.B., see Wang. C.C.: (1) 17

Ellwood, Kevin R., see Bauer, David R.: (5) 777
Ellwood, Kevin R., see Baldwin, John M.: (2) 336; (5) 761
Endo, Kiyoshi; Hatakeyama, Naoyoshi: Simultaneous control of 1,4-cis selectivity and molecular weight of polymer in polymerization of butadiene with co(acae$_3$/MAO catalyst (1) 143

INDEX
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 78, 2005
AUTHOR INDEX

Abraham, Elizabeth K.; Ramesh, P.; Joseph, R.; Mohanan, P.V.; Remakumari, V.M.: Release of dithiocarbamates into sweat from natural rubber latex surgical gloves (4) 674
Ahagon, Asahiro, see Kawakubo, Makoto: (4) 659
Ahagon, Asahiro, see Kawakuro, Makoto: (4) 644
Ahmadio, S., see Zohuri, G.H.: (4) 682
Ansarifar, A.; Ibraham, N.; Bennett, M.;: Reinforcement of natural rubber with silanized precipitated silica nanofiller (5) 793
Aprem, Abi Santhosh; Joseph, Kurauvilla; Thomas, Sabu: Recent developments in crosslinking of elastomers (3) 458

Baldwin, John M.; Bauer, David R.; Hurley, Paul D.: Field aging of tires, Part II (5) 754
Baldwin, John M.; Bauer, David R.; Ellwood, Kevin R.: Accelerated aging of tires. Part II (2) 336
Baldwin, John M.; Bauer, David R.; Ellwood, Kevin R.: Accelerated aging of tires, part III (5) 761
Baldwin, John M.; see Bauer, David R.: (5) 777
Bandyopadhyay, Abhijit; Sarkar, Mousumi De; Bhowmick, Anil K.: Rheological behavior of hybrid rubber nanocomposites (5) 806
Barry, Carol, see Tao, Zhenghong: (3) 489
Bauer, David R., see Baldwin, John M.: (2) 336; (5) 754; (5) 561
Bauer, David R.; Baldwin, John M.; Ellwood, Kevin R.: Correlation of rubber properties between field aged tires and laboratory aged tires (5) 777
Becker, Eric B., see Özüpek, Sebnem: (4) 557
Bennett, M., see Ansarifar, A.: (5) 793
Beyer, Frederick L., see Klinedinst, Derek B.: (5) 737
Bhowmick, Anil K., see Sadhu, Susmita: (2) 321
Bhowmick, Anil K., see Nayek, Suprakash: (4) 705
Bhowmick, Anil K., see Bandyopadhyay, Abhijit: (5) 806
Bhowmick, Anil K., see Patel, J.D.: (5) 893
Bokobza, L., see Clément, F.: (2) 211; (2) 232

Chandra, Arup K., see Nayek, Suprakash: (4) 705
Chávez, A.E., see Vargas. M.A.: (4) 620
Chen, Chunming, see Xiong, Chuanaxi: (4) 588
Chen, J., see Tao, Z.: (2) 199
Clément, F.; Bokobza, L.; Monnerie, L.: Investigation of the Payne Effect and its temperature dependence on silica-filled polydimethylsiloxane networks: Part I: Experimental results (2) 211
Clément, F.; Bokobza, L.; Monnerie L.: Investigation of the Payne Effect and its temperature dependence on silica-filled polydimethylsiloxane networks. Part II: Test of quantitative models (2) 232
Coolbaugh, Thomas S., see Patil, Abhimanyu O.: (3) 516

Danes, Florin, Garnier, Bertrans: Improved differential scanning calorimetric measurement method for the small reaction heat capacities (1) 114
Datta, Rabin D., see Heideman, Geert: (2) 245
Dechojarassri, Duangkamol,, see Pattamaprom, Cattaleeya: (4) 724
Dierkes, W. K., see Rajan, V.V.: (4) 572; (5) 855
Doi, Mitch, see Yamauchi, Michael T.: (1) 105
Dong, Yi, see Xiu, Yong: (5) 879
Donnet, J.B., see Wang. C.C.: (1) 17

Ellwood, Kevin R., see Bauer, David R.: (5) 777
Ellwood, Kevin R., see Baldwin, John M.: (2) 336; (5) 761
Endo, Kiyoshi; Hatakeyama, Naoyoshi: Simultaneous control of 1,4-cis selectivity and molecular weight of polymer in polymerization of butadiene with co(acae$_3$/MAO catalyst (1) 143

Feng, Wenlai, see Isayev, A.I.: (4) 606
Fulton, W. Stephen,: Steel tire cord—rubber adhesion, including the contribution of cobalt (review) (3) 426

Garnier, Bertrand, see Danes, Florin: (1) 114
George, Josephine; Neelakantan, N.R.; Varughese, K.T.; Thomas, Sabu: Dynamic mechanical properties of high density polyethylene and nitrile rubber blends: Effect of blend ratio, compatabilization and filler incorporation (2) 286
Ghumman, Bhavjit, see Tao, Zhenghong: (3) 489
Gomes, Ana C., see Soares, Bluma G.: (1) 1

Ha, Chang-Sik, see Mishra, Joy K.: (1) 42
Hamed, G.R., see Wang, J.: (1) 76
Hamed, G.R.; Umetso, K.: Gum and black-filled double networks of cis-1,4-polyisoprene crosslinked with sulfur donors: Part I. Tensile properties (1) 130
Hamed, G.R.: Crack growth in vulcanized rubber (review) (3) 548
Hatakeyama, Naoyoshi, see Endo, Kiyoshi: (1) 143
Heideman, Geert; Noordermeer, Jacques W.M.; Datta, Rabin N.; Van Baarle, Ben: Effect of zinc complexes as activator for sulfur vulcanization in various rubbers (2) 245
Herrera, R., see Vargas. M.A.: (4) 620
Hochtl, M., see Temel, A.: (1) 28
Hoei, Y.: Analysis of melting point depression of benzene in crosslinked natural rubber by a frozen tube network model (5) 827
Hotakawa, Takeshi; Ishikawa, Yosuhiro; Mori, Kunio: Effect of compound ingredients on adhesion between rubber and brass-plated steel cord (2) 175
Hurley, Paul D., see Baldwin, John M.: (5) 754

Ibraham, N., see Ansarifar, A.: (5) 793
Insom, Kittipon, see Sakdapipanich, Jitladda: (4) 597
Isayev, A.I.; Kim, S.H.; Feng, Wenlai: Continuous ultrasonic treatment of uncured and sulfur cured SBR: Effect of styrene content (4) 606
Ishi, Tadahiro, see Kawakuro, Makoto: (4) 644; (4) 659
Ishikawa, Yasuhiro, see Hotaka, Takeshi: (2) 175

Jamjah, R., see Zohuri, G.H.: (4) 682
Jiang, B., see Sternstein, S.S.: (2) 258
Joseph, Kuruvilla, see Aprem, Abi Santhosh: (3) 458
Joseph, R., see Rajan, V.V.: (4) 572; (5) 855
Joseph, R., see Abraham, Elizabeth K.: (4) 674

Kaidou, Hiroyuki, see Kawakuro, Makoto: (4) 644; (4) 659
Kanok-Nukulchan, Worsak, see Pattamaprom, Cattaleeya: (4) 724
Kawahara, Seiichi, see Sakdapipanich, Jitladda: (4) 597
Kawakubo, Makoto; Tsunodo, Katsunori; Yahma, Hirofumi; Ishii, Tadahiro: Reactions of radicals in filled rubber compounds: I. Detection of free radicals in rubbers by ESR (4) 644
Kawakubo, Makoto, Tsunoda, Katsunori; Yajima, Hirofumi; Ishii, Tadahiro; Kaidou, Hiroyuki; Ahagon, Asahiro: Reactions of free radicals in filled rubber compounds: II. Generation and subsequent reactions of radicals upon deformation (4) 659
Kern, W., see Temel, A.: (1) 28
Kim, Gue-Hyun, see Mishra, Joy K.: (1) 42
Kim, Il, see Mishra, Joy K. (1) 42
Kim, Jong Myoung: Investigation of the adhesion layer formed on brass using field emission-scanning electron microscope (5) 844
Kim, Kwang-Jea, VanderKoot, John: Moisture effects on TESTPD-Silica/CB/SBR compounds (1) 84
Kim, S.H., see Isayev, A.I.: (4) 606
Klinedinst, Derek B.; Sheth, Jignesh; Yilgör, Emil; Yilgör, Iskender; Beyer, Frederick L.; Wilkes, Garth L.: Structure—Property behavior of new segmented polyurethanes and polyureas without use of chain extenders (5) 737
Koenig, J.L., see Li, Gui-Yang: (3) 355

Lake, G.J., see Lawrence, C.C.: (2) 271

Lawrence, C.C; Lake, G.J.; Thomas, A.G.: New technique for measurement of rubber-to-metal bond failure (2) 271
Leblanc, Jean L.: Investigating the non-linear viscoelastic behavior of filled rubber compounds through Fourier transform rheometry (1) 54
Li, Gui-Yang; Koenig, J.L.: A Review of rubber oxidation (review) (3) 355
Li, Wei, see Xiu, Yong: (5) 879
Loubet, J.-L., see Petitet, G.: (2) 312

Maiti, M., see Patel, J.D.: (5) 893
Manero, O., see Vargas. M.A.: (4) 620
Mangaraj, D.: Role of compatabilization in recycling rubber waste by blending with plastics (review) (3) 536
Mazuyer, D., see Petitet, G.: (2) 312
Mead, J.L., see Patenaude, K.J.: (2) 188
Mead, J.L., see Tao, Z.: (2) 199
Mead, Joey, see Tao, Zhenghong: (3) 489
Mishra, Joy K.; Kim, Il;, Ha, Chang-Sik; Ryou, Jin-Ho; Kim, Gue-Hyun: Structure—property relationship of a thermoplastic vulcanizate (TPV)/layered silicate nanocomposites prepared using maleic anhydride modified polyisopropylene as a compatibilizer (1) 42
Mohanan, P.V., see Abraham, Elizabeth K.: (4) 674
Monnerie, L., see Clément, F.: (2) 211
Monnerie, L., see Clément, F.: (2) 232
Moreira, Viviane X., see Soares, Bluma G.: (1) 1
Mori, Kunio, see Hotaka, Takeshi: (2) 175
Muhr, A.H.: Modeling the stress-strain behavior of rubber (3) 391

Nakayana, Takenori, see Yamauchi, Michael T.: (1) 105
Naskar, K., see Patel, J.D.: (5) 893
Nayek, Suprakash; Bhowmick, Anil K.; Pal, Samir K.; Chandra, Arup K.: Wear behavior of silica filled tire tread compounds by various rock surfaces (4) 705
Neelakantan, N.R., see George, Joseph: (2) 286
Nekomanesh, M., see Zohuri, G.H.: (4) 682
Niu, Yongsheng, see Xiong, Chuanaxi: (4) 588
Noordermeer, J.W.M., see Rajan, V.V.: (4) 572; (5) 855
Noordermeer, Jacques W.M., see Heideman, Geert: (2) 245

Okumura, Kazuo, see Yamauchi, Michael T.: (1) 105
Oliveira, Marcia G., see Soares, Bluma G.: (1) 1
Özüpek, Sebnem; Becker, Eric B.: Finite element method for the study of belt edge delaminations in truck tires (4) 557

Pal, Samir K., see Nayek, Suprakash: (4) 705
Patel, J.D.; Maiti, M.; Naskar, K.; Bhowmick, Anil K.: Novel styrenic thermoplastic elastomers from blends with special reference to compatabilization and dynamic vulcanization (5) 893
Patenaude, K.J.;Tao, Z.; Mead, J.L.; Stacer, R.G , Rodriguez, G.: Response of elastomeric blocks during large compression strains (2) 188
Patil, Abhimanyu O.; Coolbaugh, Thomas S.: Elastomers: A literature review with emphasis on oil resistance (review) (3) 516
Patil, Pankaj Y.; Van Ooij, William J.: Mechanism of improved aged rubber-to-brass adhesion using ZNE-component resins (1) 155
Pattamaprom, Cattaleeya; Dechojarassri, Duangkamol; Kanok-Nukulchai, Worsak: The effect of cure conditions on the strength of ebonite rubber networks (4) 724
Petitet, G.; Loubet, J.-L.; Zahouani, H.; Mazuyer, D.: A contribution to the understanding of elementary wear mechanisms of rubber filled compounds (2) 312
Piotrowska, M., see Przepiíorkowska, A.: (5) 868
Pontier-Johnson, M., see Wang, C.C.: (1) 17
Prochon, M., see Przepiórkowska, A.: (5) 868
Przepiórkowska, A.; Prochnon, M.; Zaborski, M.; Zakowska, Z.; Piotrowska, M.: Biodegradable protein-containing elastomeric vulcanizates (5) 868

Rajan, V.V.; Dierkes, W.K.; Noordermeer, J.W.M.; Joseph, R.: Model compound studies on the devulcanization of natural rubber using 2,3-dimethyl-2-butene (4) 572

Rajan, V.V.; Dierkes, W.K.; Noordermeer, J.W.M.; Joseph, R.: Comparative investigation on the reclamation of NR based latex products with amines and disulfides (5) 855
Ramesh, P., see Abraham, Elizabeth K.: (4) 674
Ramorino, G., see Sternstein, S.S.: (2) 258
Remakumari, V.M., see Abraham, Elizabeth K.: (4) 674
Rodriguez, G., see Patenaude, K.J.: (2) 188
Roland, C.M., see Wang, J.: (1) 76
Ryou, Jin-Ho, see Mishra, Joy K.: (1) 42

Sadhu, Susmita; Bhowmick, Anil K.: Effect of nanoclay on the dynamic mechanical properties of styrene butadiene and acrylonitrile butadiene rubber vulcanizates (2) 321
Sakdapipanich, Jitladda T.; Suksawad, Patjaree; Insom, Kittipong; Kawahara, Seiichi: Preparation of functionalized low molecular weight natural rubber latex using solid nanometric TiO_2 film as a photocatalyst (4) 597
Sakdapipanich, T, see Tarachwin, Lucksanaporn: (4) 694
Sarkar, Mousumi De, see Bandyopadhyay, Abhijit: (5) 806
Schaller, R., see Temel, A.: (1) 28
Sheth, Jignesh P., see Klinedinst, Derek B.: (5) 737
Shimizu, Toshi, see Yamauchi, Michael T.: (1) 105
Soares, Bluma G.; Gomes, Ana C.O.; Moreira, Viviane X.; Oliveira, Marcia G.: Utilization of maleic anhydride modified ground EVA waste in NBR vulcanizates (1) 1
Stacer, R. G., see Patenaude, K.J.: (2) 188
Stacer, R.G., see Tao, Z.: (2) 199
Sternstein, S.S.; Ramorino, G.; Jiang, B.; Zhu, Ai-Jun: Reinforcement and nonlinear viscoelasticity of polymer melts containing mixtures of nanofillers (2) 258
Suksawad, Patiaree, see Sakdapipanich, Jitladda: (4) 597

Tanaka, Yasuyuki: (4) 694
Tao, Z., see Patenaude, K.J.: (2) 188
Tao, Z.; Chen, J.; Stacer, R.G.; Mead, J.L.: Rubber/Fiber interactions during the tearing of rubber coated polyester fabrics (2) 199
Tao, Zhenghong; Viriyabanthorn, Nantiya; Ghumman, Bhavjit; Barry, Carol; Mead, Joey: Heat resistant elastomers (review) (3) 489
Tarachwin, Lucksanaporn; Sakdapipanich, T.; Tanaka, Yasuyuki: Relationship between particle size and molecular weight of rubber from Hevea Brasiliensis (4) 694
Temel, A.; Schaller, R.; Hochtl, M.I.; Kern, W.: Determination of residual vulcanization accelerators in natural rubber latex films using FTIR spectroscopy (1) 28
Thomas, A.G., see Lawrence, C.C.: (2) 271
Thomas, Neil R.,: International Rubber Science Hall of Fame Inductee, Frederic Stanley Kipping: Biography (2) G5
Thomas, Sabu, see George, Joseph: (2) 286
Thomas, Sabu, see Aprem, Abi Santhosh: (3) 458
Tian, Demei, see Xiong, Chuanaxi: (4) 588
Tsunoda, Katsunori, see Kawakuro, Makoto: (4) 644; (4) 659

Umetsu, K., see Wang, J.: (1) 76
Umetsu, K., see Hamed, G.R.: (1) 130

Vahapoglu, Vahap; Karadeniz, Sami: Constitutive equations for isotropic rubber-like materials using phenomenological approach: A Bibliography (1930-2003) (3) R8
Vakili, M., see Zohuri, G.H.: (4) 682
Van Baarle, Ben, see Heideman, Geert: (2) 245
VanderKoot, John, see Kim, Kwang-Jea: (1) 84
VanOoij, William J., see Patil, Pankaj Y.: (1) 155
Vargas, M.A.; Chávez, A.E.; Herrera, R.; Manero, G.: Asphalt modified by partially hydrogenated SBS tri-block copolymers (4) 620
Varughese, K.T., see George, Joseph: (2) 286
Viriyabanthon, Nantiya, see Tao, Zhenghong: (3) 489

Wang, C.C.; Donnet, J.B.; Wang, T.K.; Pontier-Johnson, M.; Welsh, F.: AFM Study of rubber compounds (1) 17
Wang, J.; Hamed, G.R.; Umetsu, K.; Roland, C.M.: The Payne effect in double network elastomers (1) 76

Wang, T. K., see Wang. C.C.: (1) 17
Welsh, F, see Wang, C.C.: (1) 17
Wilkes, Garth L., see Klinedinst, Derek B.: (5) 737

Xia, Yuanming, see Xiu, Yong: (5) 879
Xiong, Chuanxi; Chen, Chunming; Niu, Yongsheng; Tian, Demai: Grafting of norbornene diacid anhydride onto fluoroelastomer (4) 588
Xiu, Yong, Dong, Yi; Li, Wei; Xia, Yuanming: A novel planar tension test of rubber for evaluating the prediction ability of the modified eight-chain model under moderate finite deformation (5) 879

Yajima, Hirofumi, see Kawakubo, Makoto: (4) 644; (4) 659
Yamauchi, Michael T.; Shimizu, Toshi; Doi, Mitch; Yasunaga, David T.; Nakayama, Takenori; Okumura, Kazuo: Examination of rubber adhesion property of brass film on steel formed by magnetron sputtering (1) 105
Yasunaga, David T., see Yamauchi, Michael T.: (1) 105
?ilgör, Emel, see Klinedinst, Derek B.: (5) 737
Yilgör, Iskender, see Klinedinst, Derek B.: (5) 737

Zaborski, M., see Przepiórkowska, A.: (5) 868
Zahouani, H.Z., see Petitet, G.: (2) 312
Zakowska, Z., see Przepiórkowska, A.: (5) 868
Zhu, Ai-Jun, see Sternstein, S.S.: (2) 258
Zohuri, G.H.; Vakili, M.; Jamjah, R.; Ahmadio, S.; Nekomanesh, M.: Comparative polymerization activity of EPM and EPDM using VCl_4 homogeneous Ziegler—Natta catalyst and characterization of EPDM obtained (4) 682

INDEX
RUBBER CHEMISTRY AND TECHNOLOGY
VOLUME 78, 2005
SUBJECT INDEX

Accelerated aging, of tires, comparison of oven aging with field aging results (2) 336
Accelerated oven aging, of tires compared with on-road aging at different temperatures (5) 777
Accelerators and activators, role in crosslinking (review) (3) 458
Accelerators, determining residual amounts in NR latex by FTIR spectroscopy (1) 28
ACM/silica nanocomposite, melt rheological behavior (5) 806
Activation, of sulfur vulcanization, with zinc-*m*-glycerolate (2) 245
Adhesion layer, formed on brass, studied by FE-SEM (5) 844
Adhesion, of brass-coated steel tire cord and rubber, promoted by cobalt (3) 426
Adhesion, of rubber to brass-plated steel cord, (2) 175
Adhesion, of rubber to steel, improved by magnetron sputtering of brass film on steel first (1) 105
Aged rubber-to-brass adhesion,improved by use of one-component resin (1) 155
Agglomeration of filler particles, during second curing of a filled elastomer (1) 76
Aging, of tires in the field, pt. 2 (5) 754
Aging, of tires, accelerated vs. field aging results (5) 761
Aging, of tires, results of oven aging compared with those of field aging (2) 336
Amines generated from compounding ingredients, trapping to improve adhesion of rubber to brass-plated steel (2) 175
Arrhenius activation energy, for diffusion of oxygen through new and aged rubber (5) 761
Asphalt, modified by partially hydrated SBS tri-block copolymer (4) 620
ATM (atomic force microscopy), for study of rubber compounds (1) 17

Belt edge delamination, in truck tires, studied by finite element analysis (4) 557
Biodegradable elastomeric vulcanizates, protein-containing (5) 868
Blend, of HDPE and NBR, effect of blend ratio, compatabilization and filler incorporation on properties (2) 286
Blending, of scrap rubber with thermoplastic and thermoset plastics, role of compatabilization (review) (3) 536
Blends, of thermoplastics and rubber, compatabilization and dynamic vulcanization (5) 893
Brass films, formed on steel by magnetron sputtering, for better rubber/steel adhesion (1) 105
Butadiene polymers, $co(acac)_3$/MAO catalyst for control of 1,4-cis selectivity and molecular weight (1) 143

Carbon black filled rubber, detecting free radicals by ESP (4) 644
Carbon black, effect on rubber-steel cord adhesion by trapping harmful amines (2) 175
Carbon black, microdispersion, in rubber compounds studied by ATM (1) 17
Caretta, Renato, Fernley H. Banbury Award, 2005 (2) G6
Castner, Kenneth C., Melvin Mooney Distinguished Award, 2004 (2) G5
Chemistry of Thermoplastic Elastomer Awards to Maria D. Ellul, 2005 (2) G6
1,4-cis selectivity, in polymerization of BD using $co(acac)_3$MAO catalyst (1) 143
$Co(acac)_3$/MAO catalyst, for simultaneous control of 1,4-cis selectivity and molecular weight in polymerization of butadiene (1) 143
Cobalt, as adhesion promoter for brass-coated steel tire cord and rubber (3) 426
Collagen and keratin, from leather, as fillers for biodegradable IR vulcanizates (5) 868
Compatabilization, of ground rubber scrap with thermoplastics (review) (3) 536
Compatabilization, of styrene thermoplastic elastomers from blends (5) 893
Compounding, for high temperature resistance of elastomers (3) 489
Crack growth, in vulcanized rubber (review) (3) 548
Crater formation, during tread wear, studied by special tribometer (2) 312
Crosslinking, of elastomers (review) (3) 458
Cure conditions, effect on ebonite rubber network strength (4) 724

Deformation, of filled rubber, and relation to free radical formation (4) 659
Degradation modes, of rubber (review (3) 355
Del zone, in testing rubber/fabric tearing (2) 199
Devulcanization products, of NR using 2,3-dimethyl-2-butene (4) 572
Devulcanization, of NR.model compound studies (4) 572

Differential scanning calorimetry (1) 114
Diffusional aging characteristics, of inflated tires (5) 761
Diphenyldisulfide, for reclamation of waste latex rubber (5) 855
DiPXP (diisopropylxanthogen polysulfide) with ZDiNC for nonallergenic NR latex accelerator (1) 28
Dithiocarbamates, released into sweat during use of NR latex surgical gloves (4) 674
Double network elastomers, made by curing under strain previously cross-linked elastomers (1) 76
Double networks, of IR crosslinked with sulfur donors (1) 130
DSC (Differential scanning calorimetry), improved, for small reaction heat capacities (1) 114

Ebonite rubber networks, effect of cure conditions (4) 724
Ellul, Maria D., recipient of Chemistry of Thermoplastics Award, 2005 (2) G6
ENR/silica nanocoposites, melt rheological behavior (5) 806
EPDM, sulfur vulcanization activated by zinc-*m*-glycerolate (2) 245
EPM and EPDM, made with VCl_4 Ziegler—Natta catalyst, comparisons (4) 682
ESP (electron spin resonance), for detection of free radicals in rubber (4) 644
ESR, for measuring oxidative crosslinking, during stretching of rubber (4) 659
EVA ([poly(ethylene-co-vinylacetate)], ground waste, effect on rheological and mechanical properties of NBR vulcanizate (1) 1

Farris, Richard J., George Stafford Whitby Award, 2005 (2) G5
Fatigue crack growth simulation, in study of truck tire belt delamination (4) 557
FE/SEM (Field Emission-Scanning Electron Microscopy), in study of adhesion layer formed on brass (5) 844
Fernley H. Banbury Award, 2005, to Renato Caretta (2) G6
Fiber fill, influence in tearing of rubber-coated polyester fabrics (2) 199
Field aging, of tires, pt. 2 (5) 754
Filler, in blend of HDPE and NBR, effect of (2) 286
Fillers, understanding complexities of using mixture of nano-size in polymer melts (2) 258
Finite Element packages, in modeling stress-strain behavior of rubber (review) (3) 391
Filled rubber, non-linear viscoelastic behavior studied through FT rheology (1) 54
Fluoroelastomer, grafting with norbornene diacid anhydride (4) 588
Foster, Mark S., Sparks-Thomas Award, 2005 (2) G5
Fracture mechanics based analysis, of rubber-to-metal bond (2) 271
Free radicals, detection in rubber by ESP (4) 644
Free radicals, formed in filled rubber upon deformation (4) 659
Frozen tube network model, for analysis of melting point depression of benzene in crosslinked NR (5) 827
FT (Fourier transform) rheometry, for studying linear viscoelasticity of filled rubber (1) 54

George Stafford Whitby Award, 2005, to Richard J. Farris (2) G5
Grafting, of norbornene diacid anhydride onto fluoroelastomer (4) 588

HDPE (high density polyethylene), blend with NBR, dynamic mechanical properties and effect of blend ration, compatabilization and filler (2) 286
Heat capacities, before and after vulcanization, determined by DSC (1) 114
Heat resistant elastomers (review) (3) 489
Hevea Brasiliensis rubber, relation between particle size and molecular weight (4) 694
High temperature resistance, of elastomers (review) (3) 489
HMMM (hexamethyoxymethylmelamine), for trapping amines harmful in rubber adhesion problems (2) 175
Hyperelastic behavior, of rubber evaluated with modified eight-chain model under moderate finite deformation (5) 879

International Rubber Science Hall of Fame , Frederic Stanley Kipping, 2004 Inductee (2) G5
IR, gum and black-filled double networks, tensile properties (1) 130

Kinetics of aging, of key tire properties, interpreted by combination of empirical models and accelerated shift factors (5) 777
Kipping, Neil T., biog. (2) G5

Latex, NR, reclamation with amines and disulfides (5) 855
Leather powders, in biodegradable IR (5) 868

Magnetron sputtering, of brass film on steel, to improve adhesion of rubber to steel (1) 105
Maleic anhydride modified ground EVA waste, in NBR vulcanizates (1) 1
Maleic anhydride modified PP, as compatibilizer for TPV/layered silicate nanocomposites (1) 42
Melting point depression, of benzene in crosslinked NR, analyzed by frozen tube network model (5) 827
Metal sulfides, of cobalt, zinc, copper, bronze and brass, determined by FE-SEM in study of adhesion layer on steel tire cord (5) 844
Model compound studies, for devulcanization of NR using 2,3-dimethyl-2-butene (4) 572
Modeling, stress-strain behavior of rubber (review) (3) 391
Models, for predicting blend moduli as in HDPE and NBR (2) 286
Moisture effects, on TESPD-silica/CB/SBR compounds (1) 84
Molecular weight, relation to particle size in Hevea brasiliensis rubber (4) 694
Molecular weight, of BD polymer made with $co(acac)_3$/MAO catalyst (1) 143

Nanoclay, effect on dynamic mechanical properties of SBR and NBR vulcanizates (2) 321
Nanoclays, with TPV, compatibilized using maleic anhydride modified PP (1) 42
Nanocomposites, of hybrid rubber, rheological properties (5) 806
Nanofiller mixtures, for polymer reinforcement, understanding complexities (2) 258
Nanofiller, of silanized precipitated silica, for reinforcement of NR (5) 793
NBR, effect of nanoclay on dynamic mechanical properties (2) 321
NBR, improved properties by use of maleic anhydride modified ground EVA waste (1) 1
Networks, characterization and role of double (review) (3) 458
Norbornene diacid anhydride, grafting onto fluoroelastomer (4) 588
NR latex, determining residual amounts of accelerator using FTIR spectroscopy (1) 28
NR, auxiliary cracks parallel to loading direction and high resistance to tear (3) 548
NR, crosslinked, analysis of melting point depression of benzene in (5) 827
NR, devulcanization studies using 2,3-dimethyl-2-butene (4) 572
NR, low molecular weight functionalized, preparation using solid nanometric TiO_2 film as photocatakyst (4) 597

Oil resistance, of elastomers (review) (3) 516
Oxidation and degradation, of rubber (review) (3) 355

Particle size, of Hevea brasiliensis, relation to molecular weight (4) 694
Payne Effect, and temperature dependence, in silica-filled PDMS networks (2) 232
Payne effect, in double network elastomers (1) 76
Payne Effect, in silica-filled PDMS networks (2) 211
PDMS (Polydimethylsiloxane), silica-filled, Payne Effect in (2) 211
PDMS (Polydimethylsiloxane), silica-filled, Payne Effect in (2) 232
Planar tension testing of rubber, for evaluating modified eight-chain model under moderate finite deformation (5) 879
Polyester fabrics, rubber-coated, reaction of rubber and fiber during tearing (2) 199
Polyureas, segmented, without chain extenders, structure—property behavior (5) 737
Polyurethanes, segmented, without chain extenders, structure—property behavior (5) 737
Prediction ability, of modified eight-chain planar tension test (5) 879

Quantitative models, for Payne Effect, tested with silica-filled PDMS (2) 232

Reaction heats, small, detecting with improved DSC (1) 114
Reclaiming, of waste latex rubber, with diphenyldisulfide (5) 855
Reclamation, of NR based latex products with amines and sulfides (5) 855
Recycling rubber waste, by blending with plastics, role of compatabilization (review) (3) 536
Reinforcement, of NR with silanized precipitated silica nanofiller (5) 793
Reinforcement, of polymers with binary nanofiller mixtures, understanding the complexities (2) 258
Rheological properties, of hybrid rubber nanocomposites (5) 806
Rock surfaces, effect on wear of silica filled tire tread (4) 705
Rolling flow phenomenon, in compressed rubber cylinders (2) 188
Rubber cylinders, increased contact area under pressure (2) 188
Rubber Division, ACS, Best Paper Awards, 2004 Fall Technical Session (2) G7
Rubber oxidation (review) (3) 355
Rubber-to-brass adhesion, using one-component resins (1) 155
Rubber-to-metal bond, measuring failure (2) 271

SBR, effect of nanoclay on dynamic mechanical properties (2) 321
SBR, effect of styrene content on ultrasonic treatment (4) 606
SBR, sulfur vulcanization activated with zinc-*m*-glycerolate (2) 245
SBS tri-block copolymer, partially hydrogenated, for modifying asphalt (4) 620
Segmented polyurethanes and polyureas, without chain extenders, property—structure behavior (5) 737
Shear, pure and simple combined to measure rubber-to-metal bond failure (2) 271
Silica filled rubber, detection of free radicals by ESP (4) 644
Silica filled tire tread, wear behavior on rock surfaces (4) 705
Silica, precipitated silanized, for reinforcing NR (5) 793
Silica, treated and untreated, in PDMS, Payne Effect studied (2) 211
Silica-filled PDMS, quantitative models for testing Payne Effect (2) 232
Spare tires, comparison with road tire test data (5) 754
Sparks-Thomas Award, 2005, to Mark S. Foster (2) G5
Storage modulus, of nanocomposites with SBR and NBR (2) 321
Stress concentration, at edges of compressed rubber cylinders (2) 188
Stress-strain behavior, of rubber (review) (3) 391
Styrene content, of SBR, effect on ultrasonic curing (4) 606
Styrene/acrylonitrile/ethylene vinylacetate blends, compatabilization and dynamic vulcanization (5) 893
Surgical gloves, NR latex, release of dithiocarbamates into sweat during use of (4) 674

Tear strength, of NR vulcanizates, related to crack growth (3) 548
Tearing, of rubber-coated polyester fabrics (2) 199
Tensile properties, of gum and black-filled double networks of IR crosslinked with sulfur donors (1) 130
TESPD bis(triethoxysilylpropyl)disulfide-silica/CB/SBR compounds, moisture effects (1) 84
TIBA (triisobutylaluminum) cocatalyst with VCl_4 Ziegler—Natta, for producing EPM and EPDM (4) 682
TiO_2 film, as photocatalyst for preparation of functionalized low molecular weight NR latex (4) 597
Tire cord, brass-coated steel, adhesion to rubber promoted by cobalt (3) 426
Tire tread, silica filled, wear behavior on rock surfaces (4) 705
Tire treads, study of worn surfaces by ATM (1) 17
Tires, accelerated aging which duplicates field aging results (5) 761
Tires, comparison of oven aging with field aging tests (2) 336
Tires, field aged, comparison of properties with those of laboratory aged tires (5) 777
Tires, field aging, pt. 2 (5) 754
TPV(Thermoplastic vulcanizates),composites with nanoclay, compatibilized using maleic anhydride modified PP (1) 42
Tread wear, effect of agglomerates (2) 312
Tribometer, for lab testing of tread wear (2) 312
Truck tires, belt edge delamination studied by finite element method (4) 557

Ultrasonic treatment of SBR, effect of styrene content (4) 606

VCl_4 homogeneous Ziegler—Natta catalyst, for polymerizing EPM and EPDM, comparisons (4) 682
Vulcanization, different types of crosslinking (review) (3) 458

Wear mechanism, of rubber filled compounds (2) 312

ZDEC (zinc diethyldithiocarbamate), release into human sweat during use of surgical gloves (4) 674
ZDiNC (Zn-diisononyl dithiocarbamate) with DiPXP in non-allergenic accelerator for NR latex (1) 28
Zinc-*m*-glycerolate, as substitute for ZnO in sulfur vulcanization of EPDM and SBR (2) 245